

M / V KNIDOS



IMO Fitted	: YES-as per app.
Grain fitted	: YES-as per app.
Dead-weight (DWAT) summer / winter	: 8961
Capacity (grain)	: 12,775 cbm / 451,144 cft
Capacity (bale)	: 12,059 cbm / 425,859 cft
No of hold(s)/hatch(es)	: 2 holds / 2 hatches
Type of hatchcovers(s)	: Pontoon type with handling by crane (6+8)
Size of hatch covers	: 38.95x13.15 M AND 52.19x13.15 M
Size of holds HOLD 1	: 38.97 m x 13.15 m x 11.05, boxshaped
Size of holds HOLD 2	: 52.19 m x 13.15 m x 11.05, boxshaped
Narrowing fore	: YES
Narrowing aft	: YES

Date/Place of building	: 2000, DAMEN HOOGEZAND, NETHERLANDS
IMO No	: 9214173
Flag	: Panama
Type of vessel	: Box-Hold MPP, single/tweendecker,geared,box,ctr fitted
Classification	: INDIAN
Lenght over all	: 129,45
Lenght between perpend.	: 123,49 m
Breadth	: 15,85 m
Height above keel	: 37,00 m
Draught (summer/winter)	: 7,406 summer / 7,252 Winter
Draught (tropical/freshwater)	: 7,560 tropical / 7,571 freashwater
Air draft	: 29,60 m Summer drft
GT/NT International	: 6382 / 3418
GT/NT SUEZ	: GT 6607,39 / NT 5797,13
GT/NT PANAMA	: NET 5736
BOWTHRUSTER	: Fitted
Ballast capacity	: 3,661.00 m ³
FW Capacity	: 76,2 m ³

CRANES , SWL	: 2 x 50 mts
Crane positions	: Starboard
Fittings	: no cells, but fully fitted under/on deck with necessary loose lashings/fittings
Nominal/Empty Contr. Cap.	: 562 TEU OR 257 (254) FEU ctr capacity at 14 mtm homogenous: 294 TEU
Reefers	: 60 plugs
Ventilation	: YES
Tweendeck positions	: N/A
Tanktop to tweendeck	: 4,46 m
Tweendeck to hatch	: 5,90 m

All above given in good faith but without any guarantee

M / V ESEN



IMO Fitted	: YES-as per app.
Grain fitted	: YES-as per app.
Dead-weight (DWAT) summer / winter	: 8959
Capacity (grain)	: 12,787 cbm / 451,144 cft
Capacity (bale)	: 12,787 cbm / 451,144 cft
No of hold(s)/hatch(es)	: 2 holds / 2 hatches
Type of hatchcovers(s)	: Pontoon type with handling by gantry crane (6+8)
Size of hatch covers	: 38.95x13.15 M AND 52.19x13.15 M
Size of holds HOLD 1	: 38.96 m x 13.15 m x 11.05, boxshaped
Size of holds HOLD 2	: 52.19 m x 13.15 m x 11.05, boxshaped
Narrowing fore	: YES
Narrowing aft	: YES

Date/Place of building	: 2000, DAMEN HOOGEZAND, NETHERLANDS
IMO No	: 9235488
Flag	: Panama
Type of vessel	: Box-Hold MPP, single/tweendecker,geared,box,ctr fitted
Classification	: INDIAN
Lenght over all	: 129,45
Lenght between perpend.	: 123,49 m
Breadth	: 15,85 m
Height above keel	: 36,40 m
Draught (summer/winter)	: 7,406 summer / 7,252 Winter
Draught (tropical/freshwater)	: 7,560 tropical / 7,571 freashwater
Air draft	: 29,00 m Summer drft
GT/NT International	: 6382 / 3419
GT/NT SUEZ	: GT 6607,39 / NT 5797,13
GT/NT PANAMA	: NET 5706
BOWTHRUSTER	: Fitted
Ballast capacity	: 3,661.40 m ³
FW Capacity	: 76,3 m ³

CRANES , SWL	: 2 x 50 mts
Crane positions	: Starboard
Fittings	: no cells, but fully fitted under/on deck with necessary loose lashings/fittings
Nominal/Empty Contr. Cap.	: 562 TEU OR 257 (254) FEU ctr capacity at 14 mtm homogenous: 294 TEU
Reefers	: 40 for 20' contr
Ventilation	: YES
Tweendeck positions	: N/A
Tanktop to tweendeck	: 4,48 m
Tweendeck to hatch	: 5,91 m

All above given in good faith but without any guarantee

M / V BESTEKAR



Date/Place of building	: 2006, Taizhou Sanfu Ship Eng., China
IMO No	: 9363508
Flag	: Barbados
Type of vessel	: MPP, tweendecker, gearless, box, cntr fitted
Classification	: IRS
Lenght over all	: 115.5 m
Lenght between perpend.	: 111.63 m
Breadth	: 16.5 m
Height above keel	: 29.4 m
Draught (summer/winter)	: 5.70 summer / winter
Draught (tropical/freshwater)	: 5.82 m
Air draft	: 23.70 m
GT/NT International	: 5313 / 2382
GT/NT SUEZ	: GT 15262.66 cbm / NT 14075.79 cbm
GT/NT PANAMA	: GT 18338.63 cbm / NT 4603 MT
BOWTHRUSTER	: Fitted / 350 kw
Ballast capacity	: 2,710.00 cbm
FW Capacity	: 52.50 cbm

IMO Fitted	: YES-as per app.
Grain fitted	: YES-as per app.
Dead-weight (DWAT) summer / winter	: 6500 mt
Capacity (grain)	: NO1:2373 cbm // 83400.5088 ft3 NO2:6956 cbm // 244472.794 ft3
Capacity (bale)	: NO1: 2373 cbm / NO2: 6956 cbm
No of hold(s)/hatch(es)	: 2 hold / 2 hatch
Type of hatchcovers(s)	: Pontoon Type
Size of hatch covers	: NO1: 19.72mx13.50m NO2:57.80m x 13.50m No1: 19.72m x 13.50m x 09.05m boxshaped No2: 57.80m x 13.50m x 09.05m boxshaped
Size of holds	: 57.80m x 13.50m x 09.05m boxshaped
Narrowing fore	: No
Narrowing aft	: No

Fittings	: no cells, but fully fitted under/on deck with necessary loose lashings/fittings
Nominal/Empty Contr. Cap.	:
Reefers	: No
Ventilation	: YES

Twendeck positions	: adjustable tweendeck
Tanktop to tweendeck	: 4.35m
Twendeck to hatch	: 4.085m

All above given in good faith but without any guarantee

M / V SARDES



Date/Place of building	: 2006, Taizhou Sanfu Ship Eng., China
IMO No	: 9374387
Flag	: Panama
Type of vessel	: MPP, tweendecker, gearless, box, cntr fitted
Classification	: IRS
Lenght over all	: 115.5 m
Lenght between perpend.	: 111.63 m
Breadth	: 16.5 m
Height above keel	: 29.4 m
Draught (summer/winter)	: 5.70 summer / winter
Draught (tropical/freshwater)	: 5.82 m
Air draft	: 23.70 m
GT/NT International	: 5313 / 2382
GT/NT SUEZ	: GT 15262.66 cbm / NT 14075.79 cbm
GT/NT PANAMA	: GT 18338.63 cbm / NT 4603 MT
BOWTHRUSTER	: Fitted / 350 kw
Ballast capacity	: 2,710.00 cbm
FW Capacity	: 52.50 cbm

IMO Fitted	: YES-as per app.
Grain fitted	: YES-as per app.
Dead-weight (DWAT) summer / winter	: 6500 mt
Capacity (grain)	: NO1:2373 cbm // 83400.5088 ft3 NO2:6956 cbm // 244472.794 ft3
Capacity (bale)	: NO1: 2373 cbm / NO2: 6956 cbm
No of hold(s)/hatch(es)	: 2 hold / 2 hatch
Type of hatchcovers(s)	: Pontoon Type
Size of hatch covers	: NO1: 19.72mx13.50m NO2:57.80m x 13.50m No1: 19.72m x 13.50m x 09.05m boxshaped No2: 57.80m x 13.50m x 09.05m boxshaped
Size of holds	: 57.80m x 13.50m x 09.05m boxshaped
Narrowing fore	: No
Narrowing aft	: No

Fittings	: no cells, but fully fitted under/on deck with necessary loose lashings/fittings
Nominal/Empty Contr. Cap.	:
Reefers	: No
Ventilation	: YES

Twendeck positions	: adjustable tweendeck
Tanktop to tweendeck	: 4.35m
Twendeck to hatch	: 4.085m

All above given in good faith but without any guarantee

M / V PERA



IMO Fitted	: YES-as per app.
Grain fitted	: YES-as per app.
Dead-weight (DWT) summer / winter	: 5999,31 / 5784,97
Capacity (grain)	: 323921.54 CT/F
Capacity (bale)	: 333821.38 CT/F
No of hold(s)/hatch(es)	: 2
Type of hatchcovers(s)	: Pontoon Type
Size of hatch covers	: L X W X H /NO:1 (19,72m X 13,50m X 9,05m) NO:2 (57,81m X 13,50m X 9,05m)
Size of holds	: L X W X H /NO:1 (19,72m X 13,50m X 9,05m) NO:2 (57,81m X 13,50m X 9,05m)
Narrowing fore	: No
Narrowing aft	: No

Date/Place of building	: 2009, TIANJUAN ,China
IMO No	: 9454216
Flag	: Barbados
Type of vessel	: Box-Hold MPP, single/tweendecker,geared,box,cntr fitted
Classification	: INDIAN
Lenght over all	: 115,5 m
Lenght between perpend.	: 111,63 m
Breadth	: 16.50 m /16.83 m
Height above keel	:
Draught (summer/winter)	: 5.69 m / 5.57 m
Draught (tropical/freshwater)	: 5,93 m
Air draft	: 29.46 m
GT/NT International	: 5344 / 2382
GT/NT SUEZ	: N/A
GT/NT PANAMA	: N/A
BOWTHRUSTER	: Fitted
Ballast capacity	: 2637 m3
FW Capacity	: 52.30 MT
CRANES , SWL	: NMF 50 MT EACH OTHER
Crane positions	: PORT SIDE
Fittings	: no cells, but fully fitted under/on deck with necessary loose lashings/fittings 332 TEU OR 180 (HOLD) + 152 TEU (HATCH)
Nominal/Empty Contr. Cap.	: (HATCH)
Reefers	: No
Ventilation	: YES
Tweendeck positions	: AFT
Tanktop to tweendeck	: 4.35m
Tweendeck to hatch	: 4.085m

All above given in good faith but without any guarantee

M / V DEFNE



IMO Fitted	: YES-as per app.
Grain fitted	: YES-as per app.
Dead-weight (DWT) summer / winter	: 5999,31 / 5784,97
Capacity (grain)	: 323921.54 CT/F
Capacity (bale)	: 333821.38 CT/F
No of hold(s)/hatch(es)	: 2
Type of hatchcovers(s)	: Pontoon Type
Size of hatch covers	: L X W X H /NO:1 (19,72m X 13,50m X 9,05m) NO:2 (57,81m X 13,50m X 9,05m)
Size of holds	: L X W X H /NO:1 (19,72m X 13,50m X 9,05m) NO:2 (57,81m X 13,50m X 9,05m)
Narrowing fore	: No
Narrowing aft	: No

Date/Place of building	: 01/12/2008, TIANJUAN ,China
IMO No	: 9378230
Flag	: Barbados
Type of vessel	: Box-Hold MPP, single/tweendecker,geared,box,cntr fitted
Classification	: INDIAN
Lenght over all	: 115,5 m
Lenght between perpend.	: 111,63 m
Breadth	: 16.50 m /16.83 m
Height above keel	:
Draught (summer/winter)	: 5.69 m / 5.57 m
Draught (tropical/freshwater)	: 5,93 m
Air draft	: 29.46 m
GT/NT International	: 5261 / 2382
GT/NT SUEZ	: N/A
GT/NT PANAMA	: N/A
BOWTHRUSTER	: Fitted
Ballast capacity	: 2637 m3
FW Capacity	: 52.30 MT
CRANES , SWL	: NMF 50 MT EACH OTHER
Crane positions	: PORT SIDE
Fittings	: no cells, but fully fitted under/on deck with necessary loose lashings/fittings 332 TEU OR 180 (HOLD) + 152 TEU (HATCH)
Nominal/Empty Contr. Cap.	: (HATCH)
Reefers	: No
Ventilation	: YES
Tweendeck positions	: AFT
Tanktop to tweendeck	: 4.35m
Tweendeck to hatch	: 4.085m

All above given in good faith but without any guarantee

M / V ARIFE



Date/Place of building	: 2002, Xingang Shipyard, Tianjin, China
IMO No	: 9266322
Flag	: Panama
Type of vessel	: MPP, tweendecker, geared, box, cntr fitted
Classification	: NK
Lenght over all	: 100,60
Lenght between perpend.	: 94,15
Breadth	: 16,6 / 8,1
Height above keel	: 37,95 m
Draught (summer/winter)	: 6,40 summer / 6,279 Winter
Draught (tropical/freshwater)	: 6,545 tropical / 6,542 freshwater
Air draft	: 31,6 m
GT/NT International	: 4090 / 2016
GT/NT SUEZ	: GT 11981,2 cbm / NT 9167 cbm
GT/NT PANAMA	: GT 14430,6 cbm / NT 3496 MT
BOWTHRUSTER	: Fitted
Ballast capacity	: 1,801.00 cbm
FW Capacity	: 84.90 cbm

IMO Fitted	: YES-as per app.
Grain fitted	: YES-as per app.
Dead-weight (DWAT) summer / winter	: 4900 mt
Capacity (grain)	: 6836 cbm/241.411 cft
Capacity (bale)	: 6836 cbm/241.411 cft
No of hold(s)/hatch(es)	: 1 hold / 1 hatch
Type of hatchcovers(s)	: Kvaerner Folding Type (8 segments 4/4)
Size of hatch covers	: 57.85 m x 13.40 m (775.19 sqm)
Size of holds	: 57.85 m x 13.40 m x 8.92, boxshaped
Narrowing fore	: YES
Narrowing aft	: YES

CRANES , SWL	: 2 x 70 mts NMF
Crane positions	: Portside
Fittings	: no cells, but fully fitted under/on deck with necessary loose lashings/fittings
Nominal/Empty Contr. Cap.	: 390 TEU OR 78 FEU + 18 TEU
Reefers	: 30
Ventilation	: YES
Tweendeck positions	: adjustable tweendeck
Tanktop to tweendeck	: 2,97m / 4,07m / 5,51m
Tweendeck to hatch	: 5,39m / 4,29m / 2,85m

All above given in good faith but without any guarantee

M / V EFES



Date/Place of building	: 1999, Zhonghua Shipyard, China
IMO No	: 9197686
Flag	: Panama
Type of vessel	: MPP, tweendecker, geared, box, cntr fitted
Classification	: INDIAN
Lenght over all	: 100,60
Lenght between perpend.	: 94,15
Breadth	: 16,6 / 8,1
Height above keel	: 37,95 m
Draught (summer/winter)	: 6,40 summer / 6,264 Winter
Draught (tropical/freshwater)	: 6,53 tropical / 6,527 freshwater
Air draft	: 31,6 m
GT/NT International	: 4086 / 2016
GT/NT SUEZ	: GT 4166,98 / NT 3147,61
GT/NT PANAMA	: NET 3701
BOWTHRUSTER	: Fitted
Ballast capacity	: 1,784.10 cbm
FW Capacity	: 84.90 cbm

IMO Fitted	: YES-as per app.
Grain fitted	: YES-as per app.
Dead-weight (DWAT) summer / winter	: 4900 mt
Capacity (grain)	: 6836 cbm/241.411 cft
Capacity (bale)	: 6836 cbm/241.411 cft
No of hold(s)/hatch(es)	: 1 hold / 1 hatch
Type of hatchcovers(s)	: Kvaerner Folding Type (8 segments 4/4)
Size of hatch covers	: 57.85 m x 13.40 m (775.19 sqm)
Size of holds	: 57.85 m x 13.40 m x 8.93, boxshaped
Narrowing fore	: YES
Narrowing aft	: YES

CRANES , SWL	: 2 x 50 mts NMF high speed
Crane positions	: Portside
Fittings	: no cells, but fully fitted under/on deck with necessary loose lashings/fittings
Nominal/Empty Contr. Cap.	: 377 TEU OR 173 FEU + 28 TEU
Reefers	: 30
Ventilation	: YES
Tweendeck positions	: adjustable tweendeck
Tanktop to tweendeck	: 2,97m / 4,07m / 5,51m
Tweendeck to hatch	: 5,39m / 4,29m / 2,85m

All above given in good faith but without any guarantee

M / V TEOS



Date/Place of building	: 1999, Xingang, China
IMO No	: 9173331
Flag	: Barbados
Type of vessel	: MPP, tweendecker,geared,box,cntr fitted
Classification	: INDIAN
Lenght over all	: 100,60
Lenght between perpend.	: 93,80
Breadth	: 16,6 / 8,1
Height above keel	: 37,95 m
Draught (summer/winter)	: 6.40 summer / 6,26 Winter
Draught (tropical/freshwater)	: 6,53 tropical / 6,527 freashwater
Air draft	: 31,6 m
GT/NT International	: 4086 / 2016
GT/NT SUEZ	: GT 4226,2 / NT 3235,8
GT/NT PANAMA	: GT 14430 cbm / NT 3492 MT
BOWTHRUSTER	: Fitted
Ballast capacity	: 1784,09 cbm
FW Capacity	: 84, cbm

IMO Fitted	: YES-as per app.
Grain fitted	: YES-as per app.
Dead-weight (DWAT) summer / winter	: 4806 mt / 4615.20 mt
Capacity (grain)	: 6836 cbm/241.418 cft
Capacity (bale)	: 6836 cbm/241.418 cft
No of hold(s)/hatch(es)	: 1 hold / 1 hatch
Type of hatchcovers(s)	: Kvaerner Folding Type
Size of hatch covers	: (8 segments 4/4)
Size of holds	: 57.80 m x 13.40 m (774.52 sqm)
Narrowing fore	: 57.85 m x 13.40 m x 8.93, boxshaped
Narrowing aft	: YES
	: YES

CRANES , SWL	: 2 x 50 mts
Crane positions	: Portside
Fittings	: no cells, but fully fitted under/on deck with necessary loose lashings/fittings
Nominal/Empty Contr. Cap.	: 390 TEU OR 78 FEU + 28 TEU
Reefers	: 30
Ventilation	: YES
Tweendeck positions	: adjustable tweendeck
Tanktop to tweendeck	: 2,97m / 4,07m / 5,51m
Tweendeck to hatch	: 5,39m / 4,29m / 2,85m

All above given in good faith but without any guarantee

M / V TEAM SPIRIT



Date/Place of building	: 1997, Poland
IMO No	: 9137753
Flag	: Panama
Type of vessel	: MPP, tweendecker,geared,box,cntr fitted
Classification	: NK
Lenght over all	: 100,6
Lenght between perpend.	: 93,95
Breadth	: 16,6 / 8,1
Height above keel	: 37,95 m
Draught (summer/winter)	: 6.40 summer / 6,264 Winter
Draught (tropical/freshwater)	: 6,53 tropical / 6,527 freashwater
Air draft	: 31,6 m
GT/NT International	: 4078 / 2009
GT/NT SUEZ	: GT 4166,98 / NT 3147,61
GT/NT PANAMA	: NET 3701
BOWTHRUSTER	: Fitted
Ballast capacity	: 1,846.00 mts
FW Capacity	: 83 mt

IMO Fitted	: YES-as per app.
Grain fitted	: YES-as per app.
Dead-weight (DWAT) summer / winter	: 4820
Capacity (grain)	: 6790 cbm / 240.000 cft
Capacity (bale)	: 6790 cbm / 240.000 cft
No of hold(s)/hatch(es)	: 1 hold / 1 hatch
Type of hatchcovers(s)	: McGregor Folding Type (4 fwd+4 aft)
Size of hatch covers	: 57.80 m x 13.40 m
Size of holds	: 57.85 m x 13.40 m x 8.93, boxshaped
Narrowing fore	: YES
Narrowing aft	: YES

CRANES , SWL	: 2 x 50 mts
Crane positions	: Portside
Fittings	: no cells, but fully fitted under/on deck with necessary loose lashings/fittings
Nominal/Empty Contr. Cap.	: 356 TEU OR 56 FEU + 112 TEU
Reefers	: 30
Ventilation	: YES
Tweendeck positions	: adjustable tweendeck
Tanktop to tweendeck	: 2,97m / 4,07m / 5,51m
Tweendeck to hatch	: 5,39m / 4,29m / 2,85m

All above given in good faith but without any guarantee

M / V CANKA



Date/Place of building : 1995,Damen Shipyard Hoogezand,Netherlands
IMO No : 9103740
Flag : Panama
Type of vessel : MPP DRY CARGO
Classification : INDIAN
Lenght over all : 90,67
Lenght between perpend. : 84,986
Breadth : 15.80/5.80
Height above keel :
Draught (summer/winter) : 4.630/4.534
Draught (tropical/freshwater) : 4.726/4.723
Air draft : 28
GT/NT International : 2658/1216
GT/NT SUEZ : N/A
GT/NT PANAMA : N/A
BOWTHRUSTER : Fitted
Ballast capacity : 1,947,469 cbm
FW Capacity : 57MT + (TECH.TANK 5MT)

IMO Fitted : YES-as per app.
Grain fitted : NO
Dead-weight (DWAT) summer / winter : 3261.84/3123.87
Capacity (grain) : N/A
Capacity (bale) : 3990 cbm
No of hold(s)/hatch(es) : 1 BOX
Type of hatchcovers(s) : McGregor Hydraulic Type
Size of hatch covers : 4PCS FORE+6PCS AFT
Size of holds : 61.06 X 12.80 X 5.88
Narrowing fore : yes
Narrowing aft : no

CRANES , SWL : N/A
Crane positions : N/A
Fittings : no cells, but fully fitted under/on deck with necessary loose lashings/fittings
Nominal/Empty Contr. Cap. : 266 TEU OR 121 FEU + 24 TEU
Reefers : 22
Ventilation : YES
Twendeck positions : N/A
Tanktop to tweendeck : N/A
Twendeck to hatch : N/A

All above given in good faith but without any guarantee